

SAHPRA LICENCE NO.		0000000672.-.12	CM REF.	DA02-3DEEE2	Name of Licence Holder:		Cipla Medpro (Pty) Ltd						Version:	01-072021
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities	Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions	
1	Manufactured (including import and export)	Airmune	Tablet - Effervescent	10s and 30s	Ascorbic acid (Vitamin C) 1000 mg; Magnesium sulphate 198,14 mg providing magnesium 40 mg; Echinacea Purpurea 26,25 mg; [Aerial parts, 3-6:1 dry herb extract] L-Glutamine 25 mg; L-Lysine 25 mg; Alpha-tocopherol (Vitamin E) 20 mg α-TE (30 IU); Chaste berry (Chinese Vitex) 17,5 mg; [Fruit, 6:1 extract] Forsythia Suspensa 14 mg; [Fruit, 12:1 extract] Zingiber officinale (Ginger) 14 mg; [Rhizome, Root powdered extract] Lonicera Japonica (Honeysuckle P.E) 14 mg; [Flower, 12:1 extract] Schizonepeta 14 mg; [Whole Herb, 20:1 extract] Radix Isatis 8,75 mg; [Root, 10:1 extract] Zinc sulphate 21,95 mg providing zinc 8 mg; Beetroot juice powder 5 mg; Manganese gluconate 24,32 mg providing manganese 3 mg; Retinyl palmitate (Vitamin A) 1501 µg RE (5000 IU); Selenomethionine 0,037 mg providing selenium 15 µg.	Adults and children over 12 years: Dissolve 1 tablet in a half a glass of lukewarm water daily when required or as directed by your healthcare professional.	N/A	Discipline specific	Combination product	Oral	Low	Airmune is used , in combination with a healthy diet, to support the immune system.	At or below 25 ° C	
2	Manufactured (including import and export)	Betavit AFR	Capsule	10s and 30s	Ascorbic acid (Vitamin C) 100 mg; Nicotinamide (Vitamin B3) 20 mg; Pyridoxine (Vitamin B6) 19,7 mg; Tocopherol (Vitamin E) 19,5 mg (29 IU); Zinc gluconate 104,798 mg providing zinc 15 mg; Ferrous sulphate 28,288 mg providing iron 10,4 mg; Riboflavin (Vitamin B2) 10 mg; Thiamine (Vitamin B1) 9,2 mg; Beta Carotene equivalent to Vitamin A 5,6 mg (933 µg) RE; Pantothenic Acid (Vitamin B5) 4,6 mg; Folic Acid 500 µg; Biotin 100 µg; Phytomenadione (Vitamin K) 45 µg; Selenium (as selenium yeast) 15 mg providing selenium 30 µg; Calciferol (Vitamin D) 15 µg (600 IU); Cyanocobalamin (Vitamin B12) 10 µg.	Adults: Take 1 capsule daily after food, or as directed by a healthcare professional.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	Nutritional supplement with vitamins and minerals.	At or below 25 ° C	
3	Manufactured (including import and export)	Breathewell Inhaler	Other	0.5 ml (per unit)	Volatile oil mix of: Mentha Piperita ( Peppermint Oil) 0,22 ml (44,00 % w/w); Methyl salicylate (Wintergreen) 0,1 ml (20,00 % w/w); Eucalyptus Globulus (Eucalyptus Oil) 0,1 ml (20,00 % w/w); Rosmarinus officinalis L. (Rosemary) 0,05 ml (10,00 % w/w);	Twist base to remove cover. Inhale the vapour through one nostril while holding the other nostril closed. Use when needed.	N/A	Discipline specific	Combination product	Nasal	Low	By inhaling the vapour through your nose, it will gently help to unblock your nasal passages thus making breathing easier. It provides soothing and comforting relief of a stuffy nose.	At or below 25 ° C	
4	Manufactured (including import and export)	Ciplaton Capsules	Capsule	10s, 30s and 60s	Panax Ginseng 40 mg [Root Extract, providing 200 mg of Root Powder equivalent]; Dibasic calcium phosphate anhydrous 351,4 mg providing calcium 103,5 mg and Phosphorus 80 mg; Ascorbic Acid (Vitamin C) 60 mg; Alpha-Tocopherol (Vitamin E) 10 mg α-TE; Ferrous sulphate 27,2 mg providing iron 10 mg; Nicotinamide (Vitamin B3) 10 mg; Pantothenic Acid (Vitamin B5) 10 mg; Magnesium oxide light 8,291 mg providing magnesium 5 mg; Potassium chloride 7,763 mg providing potassium 4 mg; Thiamine (Vitamin B1) 2 mg; Riboflavin (Vitamin B2) 2 mg; Copper glycinate 3,33 mg providing copper 1 mg; Manganese sulphate monohydrate 3,076 mg providing manganese 1 mg; Pyridoxine (Vitamin B6) 1 mg; Zinc gluconate 6,967 mg providing zinc 1 mg; Vitamin A 1200 µg RE (4000 IU); Folic Acid 400 µg; Calciferol (Vitamin D) 10 µg (400 IU); Cobalamin (Vitamin B12) 1 µg.	Adults (18 years and older): Take 1 capsule daily with breakfast.  Children (under 18 years of age): Not recommended for use.	N/A	Discipline specific	Combination product	Oral	Low	• To support energy levels, relieve short-term tiredness and exhaustion, and to improve general health. Panax ginseng has been used in traditional Chinese medicine for more than 2000 years amongst others to enhance physical performance, reduce fatigue and to improve overall quality of life.	At or below 25 ° C	

SAHPRA LICENCE NO.		000000672-.-.12	CM REF.	DA02-3DEEE2	Name of Licence Holder:		Cipla Medpro (Pty) Ltd						Version:	01-072021
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities	Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions	
5	Manufactured (including import and export)	Ciplaton Maxi Boost	Tablet - Effervescent	15s	Taurine 500 mg; Glucuronolactone 300 mg; Caffeine (Anhydrous) 37,5 mg; Inositol 25 mg; Nicotinamide (Vitamin B3) 9 mg; Pyridoxine (Vitamin B6) 1,6 mg; Cyanocobalamin (Vitamin B12) 1 µg; Pantothenic Acid (Vitamin B5) 3 mg.	Adults (18 years and older): Dissolve 1 tablet daily in 200 ml cold water when required (or as directed by a healthcare professional). Children and adolescents (under 18 years of age): Not recommended for use.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	B- vitamins combination with added taurine, glucuronolactone and caffeine. • Taurine acts as a metabolic transmitter and is also known to have a detoxifying effect • Glucuronolactone is thought to fight fatigue and provide a sense of well-being.	At or below 25 ° C	
6	Manufactured (including import and export)	Ciplaton Syrup	Liquid	200ml	Caffeine 75 mg; Potassium glycerophosphate 75 mg; Sodium glycerophosphate 75 mg; Nicotinamide (Vitamin B3) 16,5 mg; Ginkgo Biloba 60 mg [Leaf Extract, providing Ginkgo Flavonoid Glycosides 14,4 mg]; Panax Ginseng 15 mg [Root Extract, Providing Ginseng Ginsenosides 1.5 mg]; Thiamine (Vitamin B1) 3,15 mg; Riboflavin (Vitamin B2) 1,1 mg; Pyridoxine (Vitamin B6) 0,67 mg; Copper 23,9 µg; Cyanocobalamin (Vitamin B12) 15 µg.	Adults (18 years and older): Take 2 medicine measures (10 ml) in the morning, followed by 1 medicine measure (5 ml) in the afternoon, if needed.  Children and adolescents (under 18 years of age): Not recommended for use.	N/A	Discipline specific	Combination product	Oral	Low	• General tonic for individuals experiencing mental and/or physical fatigue. • Panax ginseng is traditionally used to ease the symptoms of asthenia such as fatigue and weakness. • Ginkgo biloba supports memory and cognitive function • Caffeine improves mental performance and alertness • A combination of B-vitamins which play a role in the release of energy from protein, fat and carbohydrates.	At or below 25 ° C	
7	Manufactured (including import and export)	Fizz-B-Plus	Tablet - Effervescent	10s	Ascorbic acid (Vitamin C) 300,0 mg; Magnesium carbonate 409,72 mg providing magnesium 112,5 mg; Calcium carbonate 245 mg providing calcium 98,1 mg; Nicotinamide (Vitamin B3) 25,0 mg; Pantothenic Acid (Vitamin B5) 22,9 mg; Riboflavin (Vitamin B2) 13,9 mg; Thiamine (Vitamin B1) 12,2 mg; Zinc sulphate monohydrate 27,44 mg providing zinc 10 mg; Pyridoxine (Vitamin B6) 8,2 mg; Folic Acid 400 µg; Biotin 150 µg; Cobalamin (Vitamin B12) 10 µg.	Adults and children older than 12 years: Dissolve 1 FIZZ-B-PLUS effervescent tablet daily in 200 ml cold water or as directed by a healthcare professional.  Children (12 years and younger): Only for use as prescribed by a healthcare professional.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	Nutritional supplement and contains a variety of vitamins and minerals which may have the following benefits: • plays a role in the production and release of energy from protein, carbohydrates and fat as well as in amino acid metabolism. • Contributes to the health of the nervous system and the manufacturing of red blood cells. • Maintaining healthy gums, mucous membranes, skin, hair and connective tissue. • Vitamin C functions as a tissue antioxidant thereby keeping cells healthy.	At or below 25 ° C	
8	Manufactured (including import and export)	Fizz-C 1000	Tablet - Effervescent	20s	Ascorbic acid (Vitamin C) 1000 mg.	Adults and children older than 12 years: Dissolve 1 effervescent tablet daily in 200 ml cold water or as directed by a healthcare professional.	N/A	Health Supplement	Vitamins	Oral	Low	• Daily Vitamin C supplementation.	At or below 25 ° C	
9	Manufactured (including import and export)	Flemsolv	Liquid	100 and 200 ml	Hedera Helix (English Ivy) 7 mg [Leaf (4-8:1), extract standardised to α-hederin and hederagenin, providing a minimum of 0,7 mg hederacoside C]	Adults: 5 ml to 7,5 ml one to three times daily. Do not exceed a total of 15 ml per day.  Children 6 to 12 years: 2,5 ml to 5 ml two to three times daily. Do not exceed a total of 10 ml per day.  Children 2 to 5 years: 2,5 ml two times daily  Children younger than 2 years: Not recommended.	N/A	Discipline specific	Western Herbal Medicine	Oral	Low	• Wet cough relief. • Thins thick mucus. • Eases breathing. • Relieves bronchial muscle spasms	At or below 25 ° C	
10	Manufactured (including import and export)	MAG SR	Tablet	60s	Magnesium chloride 535 mg providing Magnesium (elemental) 64 mg.	Adults and children 12 years and older: Take 2 to 3 tablets daily with food. Otherwise, take as directed by your healthcare professional.	N/A	Health Supplement	Minerals	Oral	Low	• Helps in utilisation of proteins. • Helps and maintains healthy nervous system metabolism.	At or below 25 ° C	
11	Manufactured (including import and export)	Relicalm	Tablet	4s, 20s and 40s	L-theanine 150 mg.	Adults: Take 1 tablet with a glass of water when required or 1 hour before bedtime.	N/A	Health Supplement	Amino acids	Oral	Low	Helps to support relaxation. Helps to temporarily promote relaxation.	At or below 25 ° C	
12	Manufactured (including import and export)	Fizz C Plus	Tablet - Effervescent	10s and 30s	Ascorbic acid (Vitamin C) 1000 mg; Zinc lactate trihydrate 23 mg providing Zinc (elemental) 5,5 mg; Echinacea purpurea 50 mg [Aerial part, as 12,5 mg of a 4:1 extract]; Selenium amino acid chelate 25 ug providing Selenium (elemental) 25 µg.	Adults: Take one tablet daily, dissolved in 200 ml glass of water. Do not exceed the maximum daily limit.	N/A	Discipline specific	Combination product	Oral	Low	Immune support	At or below 25 ° C	
13	Manufactured (including import and export)	MagUp Tabs	Tablet	30s and 60s	Magnesium chloride 535 mg providing magnesium (elemental) 64 mg.	Adults and children 12 years and older: Take 2 to 3 tablets daily with food, or as directed by your healthcare professional. Do not exceed the maximum daily dose	N/A	Health Supplement	Minerals	Oral	Low	• Contributes to the reduction of fatigue • Contributes to the maintenance of normal muscle function • Contributes to normal psychological function	At or below 25 ° C	

SAHPRA LICENCE NO.		0000000672-.-.12		CM REF.	DA02-3DEEE2	Name of Licence Holder:		Cipla Medpro (Pty) Ltd						Version:		01-072021
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities	Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions			
14	Manufactured (including import and export)	MagUp Caps	Capsule	30s and 60s	Magnesium amino acid chelate 500 mg providing magnesium (elemental) 50 mg.	Adults and children 12 years and older: Take 1 to 2 capsules daily, or as directed by your healthcare professional. Do not exceed the maximum daily dose of 5 capsules.	N/A	Health Supplement	Minerals	Oral	Low	• Contributes to the reduction of fatigue • Contributes to the maintenance of normal muscle function • Contributes to normal psychological function	At or below 25 ° C			
15	Manufactured (including import and export)	MagUp Effervescent	Tablet - Effervescent	10s and 30s	Magnesium carbonate 668 mg providing magnesium (elemental) 172 mg; Ascorbic acid (Vitamin C) 150 mg.	Adults and children 12 years and older: Take one effervescent tablet daily, dissolved in 250 ml cold water, or as directed by your healthcare professional. May be taken with or without meals. Do not exceed the maximum daily dose.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	• Contributes to the reduction of fatigue • Contributes to the maintenance of normal muscle function • Contributes to normal psychological function • Contributes to the normal function of the immune system	At or below 25 ° C			
16	Manufactured (including import and export)	Ultimag Advanced Tablets	Tablet	30s, 60s and 100s	Magnesium chloride 658 mg providing magnesium (elemental) 79 mg; Pyridoxine (Vitamin B6) 50 mg; Zinc oxide 6 mg.	Adults: Take 2 tablets daily, with water.  Children 9 years and older: Take 1 tablet daily, with water.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	• Contributes to the reduction of fatigue • Contributes to the maintenance of normal muscle function • Contributes to normal psychological function • Helps to maintain immune function	At or below 25 ° C			
17	Manufactured (including import and export)	Ultimag Advanced Effervescent	Tablet - Effervescent	10s and 30s	Magnesium carbonate 200 mg providing magnesium (elemental) 51 mg; Zinc amino acid chelate 33 mg providing Zinc (elemental) 10 mg.	Adults and children 12 years and older: Take 1 tablet daily, dissolved in 250 ml cold water.	N/A	Health Supplement	Minerals	Oral	Low	• Contributes to the reduction of fatigue • Contributes to the maintenance of normal muscle function • Helps to maintain immune function	At or below 25 ° C			
18	Manufactured (including import and export)	BC-56 Cream	Other	20 g	Glycyrrhiza glabra 40 mg [Root, extract]; Ficus infectoria 30 mg [Bark, extract]; Azadirachta indica 20 mg [Leaves, extract]; Cassia tora 20 mg [Seed, extract]; Shorea robusta 20 mg [Resin, extract]; Pongamia pinnata 20 mg [Seed, extract]; Celastrus paniculatus 6 mg [Seed, extract].	Apply 3-5 times a day if necessary. Unless otherwise prescribed, do not exceed the stated dose. To be used under the supervision of a suitably qualified person. FOR TOPICAL USE ONLY.	N/A	Discipline specific	Ayurveda	Cutaneous	Low	Healing cream for minor burns and cuts.	At or below 25 ° C			
19	Manufactured (including import and export)	Lactovita Capules	Capsule	30s	Lactic acid bacillus 40 billion CFU; Nicotinamide (Vitamin B3) 5 mg; Riboflavin (Vitamin B2) 2,5 mg; Thiamine (Vitamin B1) 1,6 mg; Pyridoxine (Vitamin B6) 1,2 mg.	Take 1 to 3 capsules per day or as prescribed by a healthcare professional.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	When ingested on a regular basis, probiotics should improve or normalise the microbial balance in the human intestines and thereby improve the functioning of the digestive tract/gut.	At or below 25 ° C			
20	Manufactured (including import and export)	Lacteel Forte Capsules	Capsule	20s	Lyophilizate of killed Lactobacillus delbrueckii and Lactobacillus fermentum 5 billion CFU.	The capsule should be swallowed with a little water. Adults 12 years and older: 1st dose - Take 4 capsules 2nd dose - Take 2 capsules Following dose - Take 2 capsules  Children younger than 12 years: 1st dose - Take 2 capsules 2nd dose - Take 2 capsules Following dose - Take 2 capsules	N/A	Health Supplement	Probiotics	Oral	Low	When ingested on a regular basis, probiotics should improve or normalise the microbial balance in the human intestines and thereby improve the functioning of the digestive tract/gut.	At or below 25 ° C			
21	Manufactured (including import and export)	Lacteel Forte Sachets	Powder	10s	Lyophilizate of killed Lactobacillus delbrueckii and Lactobacillus fermentum 10 billion CFU.	The contents of the sachet can be dissolved in a little water (30-50 ml) and swallowed or, in the case of infants, given in a feeding bottle. The powder from the sachet can be swallowed dry. Adults 12 years and older: 1st dose - Take 2 sachets 2nd dose - Take 1 sachet Following dose - Take 1 sachet  Children younger than 12 years: 1st dose - Take 1-2 sachets 2nd dose - Take 1 sachet Following dose - Take 1 sachet	N/A	Health Supplement	Probiotics	Oral	Low	When ingested on a regular basis, probiotics should improve or normalise the microbial balance in the human intestines and thereby improve the functioning of the digestive tract/gut.	At or below 25 ° C			
22	Manufactured (including import and export)	Ultimag Effervescent	Tablet - Effervescent	15s and 30s	Magnesium Amino Acid Chelate 550 mg providing magnesium (elemental) 55 mg; Zinc Amino Acid Chelate 33 mg providing Zinc (elemental) 5 mg.	Adults: 1 to 2 tablets, dissolved in a glass of water, daily.	N/A	Health Supplement	Minerals	Oral	Low	For the supplementation of magnesium and zinc in cases of insufficient intake. Magnesium helps in the utilisation of proteins. Helps and maintains healthy nervous system metabolism.	At or below 25 ° C			

SAHPRA Licence No.		0000000672.-.12	CM REF.	DA02-3DEEE2	Name of Licence Holder:		Cipla Medpro (Pty) Ltd			Version:			01-072021
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities	Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions
23	Manufactured (including import and export)	Ciplaton Syrup Zero	Liquid	200 ml	L-Carnitine 150 mg; Caffeine (Anhydrous) 100 mg; Potassium glycerophosphate 50 % 150 mg providing potassium (elemental) 75 mg; Sodium glycerophosphate 75 mg providing sodium 75 mg; Magnesium Amino Acid Chelate 10 % 500 mg providing magnesium 50 mg; Nicotinamide (Vitamin B3) 36,75 mg providing Vitamin B3 35 mg; Thiamine (Vitamin B1) 19,7 mg providing Vitamin B1 16 mg; Pantothenic acid (Vitamin B5) 13,75 mg providing Vitamin B5 11 mg; Riboflavin (Vitamin B2) 15,5 mg providing Vitamin B2 11 mg; Pyridoxine (Vitamin B6) 12,1 mg providing (Vitamin B6) 9 mg; Cyanocobalamin (Vitamin B12) 58 µg providing Vitamin B12 50 µg; Copper sulphate pentahydrate providing 0,255 mg providing 65 µg elemental copper.	Adults (18 years and older): Take 15 ml in the morning  Children and adolescents (under 18 years of age): Not recommended for use.	N/A	Health Supplement	Multiple substance formulation	Oral	Low	<ul style="list-style-type: none"><li>• A general tonic for individuals experiencing mental and/or physical fatigue.</li><li>• Caffeine improves mental performance and alertness.</li><li>• B-vitamins combination which play a role in the release of energy from protein, fat and carbohydrates.</li></ul>	At or below 25 ° C

SAHPRA