

SAHPRA LICENCE NO.		DL01-2830C6	CM REF.	see Lic No.	Name of Licence Holder:		Duro Pharmaceuticals (Pty) Ltd				Version:		01-102022
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities	Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions
1	Manufactured (including import and export)	Duro Vitamin C 250 mg	Tablet	100, 1000	Each tablet contains: L-Ascorbic Acid (Vitamin C) 250 mg	Children 4 to 8 years: Take 1 – 2 tablets daily. Adults and children over 9 years: Take 2 – 4 tablets daily. Take tablets with meals. Children: Not suitable for children 3 years and younger.		Health Supplement	Vitamins	Oral	Low	Helps to metabolise fats and proteins. Contributes to the normal function of the immune system.	At or below 25 ° C
2	Manufactured (including import and export)	Duro Vitamin C 500 mg	Tablet	30, 100	Each tablet contains: L-Ascorbic Acid (Vitamin C) 500 mg	Children 4 to 8 years: Take 1 tablet daily. Adults and children over 9 years: Take 1 – 2 tablets daily. Take tablets with meals. Children: Not suitable for children 3 years and younger.		Health Supplement	Vitamins	Oral	Low	Helps to metabolise fats and proteins. Contributes to the normal function of the immune system.	At or below 25 ° C
3	Manufactured (including import and export)	Duro Vitamin C 1000 mg	Tablet	30	Each tablet contains: L-Ascorbic Acid (Vitamin C) 1 000 mg	Adults and children over 9 years: Take 1 tablet daily with meals. Children: Not suitable for children under the age of 9 years.		Health Supplement	Vitamins	Oral	Low	Helps to metabolise fats and proteins. Contributes to the normal function of the immune system.	At or below 25 ° C
4	Manufactured (including import and export)	Duromune	Tablet	30	Each tablet contains: Glycyrrhiza uralensis Fisch. (Liquorice) 200 mg [root powder]; L-Ascorbic Acid (Vitamin C) 500 mg; Potassium carbonate 176,7 mg providing Potassium (elemental) 50 mg; Zinc gluconate 104,5 mg providing Zinc (elemental) 15 mg; Quercetin 35 mg; Selenium glycinate 75 000 µg providing Selenium 150 µg Glycine 24,8 mg; Cholecalciferol (Vitamin D3) 1 000 I.U.	Adults: Take one tablet daily after breakfast, or as prescribed by your health care provider. Children: Not suitable for children under the age of 18 years.		Discipline specific	Combination product	Oral	Low	Contributes to the normal functioning of the immune system.	At or below 25 ° C
5	Manufactured (including import and export)	FluMix Ivy Leaf Cough Syrup	Liquid	100 ml, 200 ml	Each 5 mL contains: Hedera helix L. (Ivy) 35 mg [leaf, 6-7:1 extract standardised to 10 % Hederacoside C providing 210 – 245 mg of dried herb equivalent]	Infants 0 – 1 year and children 1 – 5 years: Take 2,5 mL 3 times daily. Children 6 – 9 years and adolescents older than 10 years: Take 5 mL 3 times daily. Adults (18 years and older): Take 5 – 7,5 mL 3 times daily.		Discipline specific	Western Herbal Medicine	Oral	High	Sugar-free herbal cough expectorant syrup to help loosen phlegm in the case of a productive cough.	At or below 25 ° C
6	Manufactured (including import and export)	Durolyte	Powder	24,61 g Sachet	Each 24,61 g sachet contains: D-glucose (Dextrose anhydrous) 18,2 g; Sodium citrate 2,9 g; Sodium chloride 2 g; providing total Sodium (elemental) 1 365 mg; Potassium chloride 1,14 g providing Potassium (elemental) 600 mg.	Dissolve the contents of one sachet in a litre (1 000 mL) of boiled and cooled water. Drink as frequently as required or as prescribed by your health care provider. The solution must be freshly prepared every day. Discard unused solution after 24 hours.		Health Supplement	Multiple substance formulation	Oral	Low	DUROLYTE contributes to normal electrolyte balance.	At or below 25 ° C
7	Manufactured (including import and export)	DuroVit Multivitamin Syrup	Liquid	100 ml, 200 ml	Each 5 mL contains: Ascorbic acid (Vitamin C) 50 mg; Nicotinamide (Vitamin B3) 5 mg; Thiamine HCl 3,8 mg providing Thiamine (Vitamin B1) 3 mg; Pyridoxine HCl 1,82 mg providing Pyridoxine (Vitamin B6) 1,5 mg; Riboflavin (Vitamin B2) 1,5 mg; Pantothenol (Provitamin B5) 0,86 mg; Vitamin A Acetate 286,7 µg providing Retinol (Vitamin A) 250 µg; Cholecalciferol (Vitamin D3) 10 µg.	Children 1 – 3 years: Take one medicine measure (5 mL) daily. Children 4 – 12 years: Take one to two medicine measures (5 – 10 mL) daily. Adults and children older than 12 years: Take two medicine measures (10 mL) daily.		Health Supplement	Vitamins	Oral	Low	A factor in the maintenance of good health. Multi vitamin supplement. Helps to metabolise carbohydrates, fats and proteins. Contributes to the normal function of the immune system.	At or below 25 ° C
8	Manufactured (including import and export)	Duro Pyridoxine 25 mg	Tablet	100; 1000	Each tablet contains: Pyridoxine HCl 30,4 mg providing Pyridoxine (Vitamin B6) 25 mg	Children (9 to 13 years) : Take one tablet daily Adults (18 years and older) : Take one to four tablets daily. Do not exceed 4 tablets daily.		Health Supplement	Vitamins	Oral	Low	Vitamin	At or below 25 ° C
9	Imported only	DuroVit Multivitamin	Tablet	100;1000; 5000	Each tablet contains: Ascorbic acid (Vitamin C) 2,5 mg; Nicotinamide (Vitamin B3) 2,5 mg; Thiamine HCl 0,64 mg providing Thiamine (Vitamin B1) 0,5 mg; Vitamin A Acetate 3 439,8 I.U. providing Retinol (Vitamin A) 3 000 I.U. ; Cholecalciferol (Vitamin D3) 400 I.U.	Adults: Take one tablet daily or as directed by your health care provider. Children: Not suitable for children under the age of 18 years.		Health Supplement	Vitamins	Oral	Low	Multi-Vitamin Supplement	At or below 25 ° C

SAHPRA LICENCE NO.		DL01-2830C6	CM REF.	see Lic No.	Name of Licence Holder:		Duro Pharmaceuticals (Pty) Ltd				Version:			01-102022
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities		Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions
10	Manufactured (including import and export)	Duro Vit B CO. TABS	Tablet	100; 1000; 5000	Each tablet contains: Nicotinamide (Vitamin B3) 15 mg; Riboflavin (Vitamin B2) 3 mg; Thiamine HCl 2,5 mg providing Thiamine (Vitamin B1) 2 mg; D-Calcium pantothenate 2 mg providing Pantothenic acid (Vitamin B5) 0,92 mg; Pyridoxine HCl 0,6 mg providing Pyridoxine (Vitamin B6) 0,5 mg.		Adults(18 years and older): Take one or two tablets daily or as prescribed		Health Supplement	Vitamins	Oral	Low	Multi-Vitamin Supplement	At or below 25 ° C
11	Manufactured (including import and export)	Duro Vit B CO. SYRUP	Liquid	100 ml, 2,5 L	Each 5 mL contains: Nicotinamide (Vitamin B3) 7,5 mg; Pantothenol (Provitamin B5) 1,55 mg; Riboflavin (Vitamin B2) 1,5 mg; Thiamine HCl 1,3 mg providing Thiamine (Vitamin B1) 1 mg; Pyridoxine HCl 0,3 mg providing Pyridoxine (Vitamin B6) 0,25 mg.		Take one or two medicine measures twice a day or as prescribed		Health Supplement	Vitamins	Oral	Low	Multi-Vitamin Supplement	At or below 25 ° C
12	Manufactured (including import and export)	Duro Calcium bisglycinate	Tablet	30; 60	Each tablet contains: Calcium bisglycinate 750 mg providing Calcium (elemental) 150 mg Glycine 299 mg; Cholecalciferol (Vitamin D3) 500 I.U.		Adults: Take one tablet twice daily, after meals. Children: Not suitable for children under the age of 18 years.		Health Supplement	Multiple substance formulation	Oral	Low	DURO CALCIUM BISGLYCINATE helps in the development and maintenance of bones and teeth. Calcium intake, when combined with sufficient vitamin D, a healthy diet, and regular exercise, may reduce the risk of developing osteoporosis.	At or below 25 ° C
13	Manufactured (including import and export)	Duro Ferrous Sulphate 75 mg	Tablet	100; 1000; 5000	Each tablet contains: Ferrous sulphate 75 mg providing Iron (elemental) 22 mg		Adult dosage (18 years and older): Take one tablet orally once a day		Health Supplement	Minerals	Oral	Low	Contributes to normal formation of red blood cells and haemoglobin and proper function.	At or below 25 ° C
14	Manufactured (including import and export)	DURO-MAG	Tablet	30; 60	Each tablet contains: Magnesium chloride 560 mg providing Magnesium (elemental) 64 mg		Adult dosage (18 years and older): Take one tablet daily or as prescribed		Health Supplement	Minerals	Oral	Low	Contribute to reduction of tiredness and fatigue. Contribute to normal muscle function	At or below 25 ° C
15	Manufactured (including import and export)	4EVER Stamino	Capsule	4; 30	Each capsule contains: Erythrocyum catuaba A.J.Silva (Catuaba) 300 mg [bark, 10:1 extract providing 3 000 mg of dried herb equivalent]; Panax ginseng C.A.Mey. (Ginseng) 120 mg [root, 5:1 extract providing 600 mg of dried herb equivalent]; Lepidium meyenii Walp. (Maca) 100 mg [root, 4:1 extract providing 400 mg of dried herb equivalent]; Ptychopetalum olacoides Benth. (Muiru puama) 85 mg [bark powder]; Eurycoma longifolia Jack (Tongkat ali) 50 mg [root, 200:1 extract providing 10 000 mg of dried herb equivalent]; Epimedium brevicornu Maxim. (Horny goat weed) 20 mg [leaf, 10:1 extract standardised to 10 % icaritin providing 200 mg of dried herb equivalent]; Niacinamide (Vitamin B3) 10 mg.		Adult dosage (18 years and older): Take one capsule twice daily, morning and afternoon with meals or 2 at once when needed.		Discipline specific	Combination product	Oral	Low	A factor in the maintenance of good health. Improves sexual function Improves energy and libido	At or below 25 ° C
16	Manufactured (including import and export)	PLAN K 600 Slow Release	Tablet	30; 100; 500	Each tablet contains: Potassium chloride 600 mg providing Potassium 315 mg		Dosage for adults only (19 years and older): Take one tablet daily or as prescribed		Health Supplement	Minerals	Oral	Low	PLAN K 600 SLOW RELEASE is a mineral supplement that contributes to normal electrolyte balance.	At or below 25 ° C

SAHPRA LICENCE NO.		DL01-2830C6	CM REF.	see Lic No.	Name of Licence Holder:		Duro Pharmaceuticals (Pty) Ltd						Version:	01-102022
No.	Activity	Name of Medicine	Dosage Form	Pack size per unit - Quantity or Volume	Ingredients and Quantities		Dosage	Registration or Application No.	Sub-Category	Class or Discipline	Route of Administration	Risk	Intended Use	Storage Conditions
17	Manufactured (including import and export)	BEXTRUM Multi - Vitamin and Minerals	Tablet	30, 90	Each tablet contains: Calcium phosphate 500 mg providing Phosphorus (elemental) 50 mg; Calcium carbonate 374,6 mg providing Calcium (elemental) 150 mg; Magnesium oxide 248,7 mg providing Magnesium (elemental) 150 mg; Ascorbic acid (Vitamin C) 70 mg; Zinc gluconate 70 mg providing Zinc (elemental) 10 mg; Ferrous sulphate 32,6 mg providing Iron (elemental) 12 mg; Thiamine HCl 15,3 mg providing Thiamine (Vitamin B1) 12 mg; D-Calcium pantothenate 13 mg providing Pantothenic acid (Vitamin B5) 6 mg; Pyridoxine HCl 8,5 mg providing Pyridoxine (Vitamin B6) 7 mg; Niacinamide (Vitamin B3) 5 mg; Riboflavin (Vitamin B2) 5 mg; Manganese bisglycinate 4 mg providing Manganese (elemental) 1,1 mg; Copper sulphate 2,5 mg providing Copper (elemental) 1 mg; Lutein 0,015 mg; Vitamin A Acetate 4 586,4 I.U. providing Retinol (Vitamin A) 4 000 I.U.; Cholecalciferol (Vitamin D3) 400 I.U.; Alpha-tocopheryl acetate 16,5 I.U. providing Vitamin E 15 I.U.; Folic acid 400 µg; Potassium iodide 196 µg providing Iodine (elemental) 150 µg; Chromium polynicotinate 134 µg providing Chromium (elemental) 40 µg; Sodium selenite 109,5 µg providing Selenium (elemental) 50 µg; Sodium molybdate 96,6 µg providing Molybdenum (elemental) 45 µg; Biotin (Vitamin H) 45 µg; Cyanocobalamin (Vitamin B12) 12 µg.		Adults: Take one tablet daily. Children: Not suitable for children under the age of 18 years.		Health Supplement	Multiple substance formulation	Oral	Low	Multi-Vitamin and Multi-Mineral Supplement	At or below 25° C