

| L | SAHPRA | 00000010947 | CM REF. | DA02-8E97F2 | Name of Licence Holder: | Activo Health (Pty) Ltd | I | | | | | Version: | 01-032023 |
|----|--------------------------------------------------|---------------------|----------------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------|-------------------|--------------------------------|----------------------------|------|----------------------------------------------------------------|-----------------------|
| No | Activity | Name of Medicine | Dosage Form | Pack size per unit - Quantity or Volume | Ingredients and Quantities | Dosage | Registration or Application No. | Sub-Category | Class or Discipline | Route of Administration | Risk | Intended Use | Storage Conditions |
| 1 | Manufactured (Including import and export) | ActivoVite Complete | Tablet | | Vitamin A (RE) 900 µg (3000 IU); Vitamin B 1,5 fm g; Vitamin B 2,9 mg; Vitamin B 3,5 mg; Vitamin B 3.5 mg; Vitamin B 3.5 mg; Vitamin B 5.5 mg; Vitamin B 5.5 mg; Vitamin B 5.5,1 mg; Vitamin B 5.5,1 mg; Vitamin B (3,1 mg; Vitamin B (2,1 mg) Mg; Vitamin B | One caplet daily, with or after breakfast. | | Health Supplement | Multiple substance formulation | Oral | Low | Multivitamin and Mineral Supplement | At or below 25 ° C |
| 2 | Manufactured (including import and export) | ActivoVite PRO4 | Capsule - Hard | | Vitamin A (as Retimyl Acetate) 900 µg (3000 IU); Vitamin B1 (Thiamine) 3.6 mg; Vitamin B2 (Robiavin) 3.9 mg; Vitamin B3 (Nicotinamide) 2.5 mg; Vitamin B3 (Nicotinamide) 2.5 mg; Vitamin B6 (Pyridoxine) 5.1 mg; Vitamin B6 (Pyridoxine) 5.1 mg; Vitamin B6 (Pyridoxine) 5.1 mg; Vitamin B7 (Southorio) 90 µg; Vitamin B1 (Policoxine) 5.1 mg; Vitamin B2 (Southorio) 7.2 µg; Vitamin B2 (Southorio) 8.7 µg; Vitamin B2 (Southorio) 9.7 µg; Vitami | One capsule daily, with or after breakfast. | | Health Supplement | Multiple substance formulation | Oral | Low | Nutritional supplement with vitamins, minerals and probiotics. | At or below 25 °C |
| 3 | Manufactured (including import and export) | Vit-Co Max | Tablet | | Vitamin A (RE) 900 µg (3000 IU); Vitamin B 1,36 mg; Vitamin B 2,5 mg; Vitamin B 3.5 mg; Vitamin B 3.5 mg; Vitamin B 5.5 mg; Vitamin B 5.1 mg; Vitamin B 5.1 mg; Vitamin B 5.1 mg; Vitamin B 7.2 µg; Vitamin C 100 mg; Vitamin B (2.7 mg) 15 mg (2.7 g, 10); Biotin 90 µg; Calcium (elemental) 15.2 mg; Calcium (elemental) 3.5 µg; Calcium (elemental) 3.5 µg; Copper (elemental) 0.9 mg; Folic Acid 480 µg; Iodine (elemental) 150 µg; Iron (elemental) 150 µg; Iron (elemental) 9 mg; Magnessium (elemental) 1,5 mg; Magnessium (elemental) 1,5 mg; Magnessium (elemental) 1,5 mg; Molydodenum (elemental) 4 µg; Magnessium (elemental) 1,5 mg; Molydodenum (elemental) 1,5 mg; Molydodenum (elemental) 1,5 mg; Molydodenum (elemental) 1,7 mg; Selenium (elemental) 1 50 µg; Zinc (elemental) 1 0 mg | One caplet daily, with or after breakfast. | | Health Supplement | Multiple substance formulation | Oral | Low | Multivitamin and Mineral Supplement | At or below 25 °C |



| LI | SAHPRA CENCE NO. | 00000010947 | CM REF. | DA02-8E97F2 | Name of Licence Holder | : Activo Health (Pty) Ltd | 1 | | | | | Version: | 01-032023 |
|-----|--------------------------------------------------|----------------------------------|--------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------|--------------------------------|----------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| No. | Activity | Name of Medicine | Dosage Form | Pack size per unit - Quantity or Volume | | Dosage | Registration or Application No. | Sub-Category | Class or Discipline | Route of Administration | Risk | Intended Use | Storage Conditions |
| 4 | Manufactured (including import and export) | Viral Care immune Booster | Capsule - Hard | 60 | Vitamin A 900 µg (2997 IU); Vitamin C 200 mg; Vitamin D3 (cholecaleford) 15 µg (600 IU); Folic Acid 400 mcg; Vitamin B2 (cholecaleford) 15 µg (600 IU); Folic Acid 400 mcg; Vitamin B1 (2.1 Amg; Icon (elemental) 150 mcg; Vitamin B1 2.1 Amg; Iron (elemental) 18 mg; Vitamin B2 1.3 mg; Zinc (elemental) 25 mg; Vitamin B2 1.3 mg; Vitamin B2 1.3 mg; Vitamin B2 1.3 mg; Vitamin B2 1.0 mg; Vitamin B2 1.0 mg; Vitamin B2 1.0 mg; Vitamin B2 1.0 mg; Vitamin K1 20 mcg; Vitamin K1 | Take two capsules daily with a glass of water. | | Discipline specific | Combination product | Oral | Low | VIRAL CARE IMMUNE BOOSTER is a supplement that contains multivitamins, minerals and herbs that have been documented to support the immune system. | At or below 25 ° C |
| 5 | Manufactured (including import and export) | Concentration Cocktail | Capsule - Hard | | Bacopa Monnieri (10 % bacosides) 300 mg; Folic And 199 µg; Vitamin B 62 mg; Vitamin B 12 100 µg; Vitamin B 12 100 µg; | Adults and children twelve (12) years and older. Take one (1) capsule daily after breakfast as daily supplement. | | Discipline specific | Combination product | Oral | | CONCENRTATION COCKTAIL helps support cognitive functions such as mental focus and mental stamina. Assists in improving memory, relieves stress and mental fatigue. | |
| 6 | Manufactured (including import and export) | Exam Cocktail | Capsule - Hard | 10 | Bacopa Monnieri (10 % bacosides) 150 mg; Siberian Ginseng (Eleutherococcus senticosus) 100 mg; Folic acid 199 µg; Vitamin 83 (Niacinamide) 20 mg; Vitamin 86 15 mg; Vitamin 81 2100 µg | Adults and children twelve (12) years and older. Take one (1) capsule daily after breakfast during exam time. | | Discipline specific | Combination product | Oral | Low | EXAM COCKTAIL assists with the enhancement of cognitive performance and reduction of mental fatigue under stressful conditions. | At or below 25 ° C |
| 7 | Manufactured (including import and export) | Acti-C Immune Booster | Tablet - Effervescent | 20 | Echinace purpure extract (4:1) 50 mg; Selenium (elementall) 50 2g; Vitamin 812 (0,1%) 100 7g; Vitamin 031 (0,16%) 1000 mg; Vitamin 03 (choiscaider) 02 5 μg (1000 IU); Zinc (elemental) 10 mg | The usual dose is one tablet daily dissolved in one glass of water (200 ml) or as directed by your healthcare practitioner. Drink ACTI-C IMMUNE BOOSTER mixture immediately after dissolving in water. | | Discipline specific | Combination product | Oral | Low | ACT-C MMUNE BOOSTER assists in the support of the immune system, helping the body to fight infections such as the cold and flu. | |
| 8 | Imported and Exported | Plusssz Multivitamin + Vitamin C | Tablet - Effervescent | 20 | Vitamin C 500 mg; Vitamin E 12 mg (18 IU); Vitamin B1 (Thiamine) 1,1 mg; Vitamin B2 (Ribothavin) 1,4 mg; Vitamin B2 (Ribothavin) 1,4 mg; Vitamin B5 (Pantothenic acid) 6 mg; Vitamin B5 (Pantothenic acid) 6 mg; Vitamin B5 (Pantothenic acid) 6 mg; Vitamin B6 (Pantocome) 1,4 mg; Vitamin B7 (Biotin) 50 µg; Vitamin B7 (Pantocobalamin) 2,5 mg; Vitamin B7 | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full glass of water daily. Do not exceed the recommended daily dosage. | | Health Supplement | Vitamins | Oral | Low | Nutritional supplement with vitamins. | At or below 25 °C |
| 9 | Imported and Exported | Plusssz Multivitamin + Calcium | Tablet - Effervescent | 20 | Vitamin C 80 mg; Vitamin E 12 mg (18 IU); Vitamin B1 (Thiamine) 1,1 mg; Vitamin B2 (Ribothavin) 1,4 mg; Vitamin B3 (Pantohavin) 1,4 mg; Vitamin B5 (Pantohenic acid) 6 mg; Vitamin B5 (Pantohenic acid) 6 mg; Vitamin B6 (Pantohenic acid) 6 mg; Vitamin B6 (Pantohenic acid) 6 mg; Vitamin B7 (Biotin) 50 µg; Vitamin B12 (Cyanocobalamin) 2,5 mg; Calcium (elemental) 600 mg; Vitamin D3 (cholecaciferol) 12,5 µg (500 IU) | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full glass of water daily. Do not exceed the recommended daily dosage. | | Health Supplement | Multiple substance formulation | Oral | Low | Nutritional supplement with vitamins and minerals. | At or below 25 °C |
| 10 | Imported and Exported | Plusssz Multivitamin + Magnesium | Tablet - Effervescent | 20 | Vitamin C 80 mg; Vitamin B1 (Thiamine) J,1 mg; Vitamin B2 (Riboflavin) J,4 mg; Vitamin B3 (Naichin) 16 mg; Vitamin B3 (Naichin) 16 mg; Vitamin B5 (Pantothenic acid) 6 mg; Vitamin B5 (Pantothenic acid) 6 mg; Vitamin B6 (Pyridoxine) 1,4 mg; Vitamin B7 (Biotin) 50 μg; Vitamin B9 (Folic acid) 200 μg; Vitamin B9 (Folic acid) 200 μg; Vitamin B1 (Pancocobalamin) 18 mg; Magnesium (elemental) 188 mg | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full glass of water daily. Do not exceed the recommended daily dosage. | | Health Supplement | Multiple substance formulation | Oral | Low | Nutritional supplement with vitamins and minerals. | At or below 25 °C |



| SAHPRA LICENCE NO | | CM REF. | DA02-8E97F2 | Name of Licence Holder: | : Activo Health (Pty) Ltd | | | | | | Version: | 01-032023 |
|--------------------------|--------------------------------|--------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------|--------------------------------|----------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| No. Activity | Name of Medicine | Dosage Form | Pack size per unit - Quantity or Volume | | Dosage | Registration or Application No. | Sub-Category | Class or Discipline | Route of Administration | Risk | Intended Use | Storage Conditions |
| 11 Imported and Exported | Plusssz Multivitamin + Iron | Tablet - Effervescent | 21 | Vitamin C 80 mg Vitamin E 12 mg (18 IU); Vitamin B1 (Tihamine) 1.1 mg Vitamin B2 (Ribothavin) 1.4 mg Vitamin B3 (Northavin) 1.4 mg Vitamin B3 (Northavin) 1.4 mg Vitamin B5 (Pontothenic acid) 6 mg Vitamin B5 (Pontothenic Acid) 6 mg Vitamin B6 (Pontothenic 1.4 mg Vitamin B7 (Bothin) 50 µg Vitamin B7 (Bothin) 50 µg Vitamin B8 (Polic acid) 200 µg Vitamin B12 (Cyanoccobalamin) 2.5 mg; Iron (elemental) 20 mg | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full gluss of water daily. Do not exceed the recommended daily dosage. | F | | Multiple substance formulation | Oral | Low | Nutritional supplement with vitamins and minerals. | At or below 25 ° C |
| 12 Imported and Exported | Plusssz Multivitamin + Ginseng | Tablet - Effervescent | 21 | O Vitamin C 80 mg. Vitamin 61 2 mg (18 IU); Vitamin 81 (Thiamine) 1,1 mg; Vitamin 82 (Ribothavin) 1,4 mg; Vitamin 83 (Pantothenic acid) 6 mg; Vitamin 88 (Pantothenic acid) 6 mg; Vitamin 88 (Pantothenic acid) 6 mg; Vitamin 86 (Pontothenic) 1,4 mg; Vitamin 87 (Boithi) 50 µg; Vitamin 87 (Boithi) 50 µg; Vitamin 87 (Boithi) 50 µg; Vitamin 88 (Polic acid) 200 µg; Vitamin 812 (Cyanoccobalamin) 2,5 mg; Girseng Extract 100 mg | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full glass of water daily. Do not exceed the recommended daily dosage. | t | | Combination product | Oral | Low | The combination of vitamins and ginseng works in synergy to improve stamina. | At or below 25 ° C |
| 13 Imported and Exported | Plusssz Memory Concentration | Tablet - Effervescent | 21 | O'Itamin C 40 mg; Vitamin E 6 mg (9) U); Vitamin B1 (Tihamine) 0,55 mg; Vitamin B2 (Ribothavin) Q,7 mg; Vitamin B3 (Nonino) mg; Vitamin B5 (Pantothenic acid) a mg; Vitamin B5 (Pantothenic acid) a mg; Vitamin B6 (Pointowne) a mg; Vitamin B7 (Boinh) 25 μg; Vitamin B7 (Boinh) 25 μg; Vitamin B8 (Foint acid) 300 μg; Vitamin B8 (Foint acid) 300 μg; Vitamin B12 (Cyanoccobalamin) 1,25 mg; Magnesium (General) 28 mg; L-carnitine (tartrate) 70 mg; Caffeine 60 mg; Ginkgo Biloba 120 mg | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full glass of water daily. Do not exceed the recommended daily dosage. | r | Discipline specific | Combination product | Oral | | PLUSSSZ MEMORY CONCENTRATION assists in combating vitamin and mineral deficiencies as a result of an inadequate diet and should be considered as temporary intervention. | At or below 25 ° C |
| 14 Imported and Exported | Plusssz Cold & Flu | Tablet - Effervescent | . 10 | Ultramin E 12 mg (181U); Vitamin E 12 mg (181U); Vitamin E 12 mg (181U); Vitamin B 12 minimie 1,1 mg; Vitamin B 2 (Riboflavin) 1,4 mg; Vitamin B 3 (Nach) 1,6 mg; Vitamin B 3 (Nach) 1,6 mg; Vitamin B 6 (Pridoxine) 1,4 mg; Vitamin B 6 (Pridoxine) 1,4 mg; Vitamin B 9 (Folic acid) 200 µg; Vitamin B 9 (Folic acid) 200 µg; Vitamin B 10 (Canocobalamin) 2,5 mg; Vitamin D (Cholecatiferol) 25 µg (1000 IU); Selenium 55 µg; Zinc (elemental) 10 mg; Pelargonium sidiodes root extract 20 mg; Elderberry (Samboucs nigra) 20 mg; Rutin (Quercetin-3-rutinoside) 20 mg | Adults and children twelve (12) years and older: Dissolve one (1) effervescent tablet in a full glass of water daily. Do not exceed the recommended daily dosage. | | | Combination product | Oral | | PLUSSSZ COLD & FLU is a supplement that contains multivitamins, minerals and herbs that have been documented to support the immune system. | At or below 25 °C |
| 15 Imported and Exported | Plusssz Electro-Sport | Tablet - Effervescent | 21 | Ultramin E 12 mg (18 IU); Vitamin E 12 mg (18 IU); Vitamin E 12 mg (18 IU); Vitamin B 2 (Ribanime) 1,1 mg; Vitamin B 2 (Ribanime) 1,1 mg; Vitamin B 3 (Nation) 16 mg; Vitamin B 5 (Nation) 16 mg; Vitamin B 5 (Nation) 16 mg; Vitamin B 6 (Nation) 10 mg; Vitamin B 7 (Nation) 10 mg; Vitamin B 7 (Nation) 10 mg; Vitamin B 8 (Cyanoccolalamin) 2,5 mg; Vitamin B 12 (Cyanoccolalamin) 2,5 mg; Vitamin B 12 (Cyanoccolalamin) 2,5 mg; Vitamin B 12 (Cyanoccolalamin) 2,5 mg; Vitamin B 10 (Gill Cod 100 Mg; Choride 240 mg; Sodium 920 mg; Glucose 1 600 mg; Go-Enzyme Q10 400 µg | Take one (1) tablet dissolved in a full glass of water up to four times daily, preferably before, during and after physical activity. Do not exceed the recommended daily dose. | , | Health Supplement | Multiple substance formulation | Oral | Low | Supports hudration before during and after exercise and to maintain performance. | At or below 25 ° C |
| 16 Imported and Exported | Prosils Herbal Throat Lozenges | Other | | 6 Glycyrrhiza glabra 15 mg; Znguber officinale 10 mg; Phyllanthus emblica 40 mg; Curcuna longa 5 mg; Menthol 7 mg | The usual dose for adults and children twelve (12) years and older is: * Dissolve one lozenge in the mouth every 4 to 5 hours. * Do not exceed the recommended dosage of 6 lozenges per day. | | Discipline specific | | Sublingual / Buccal | | PROSILS Herbal Throat Lozenges are indicated to assist in the relief of coughing and soothing of throat irritations. | |
| 17 Imported and Exported | Rub Rub Ointment | Other | 2! | S Oil of Wintergreen 15 %; Menthol 5 %; Turpentine Oil 3 %; Eucalyptus Oil 2 % | Apply a layer of Rub Rub Ointment and spread evenly on the affected area. Massage gently into the skin to sensure proper penetration. Rub Rub Ointment can be applied two to three times per day. | E | Discipline specific | Ayurveda | Cutaneous | | Rub Rub Ointment assists in relieving lower back aches, muscle sprains, inflamed and painful joints, wrist and ankle pains. | At or below 25 ° C |



| SAHPRA LICENCE NO | | CM REF. | DA02-8E97F2 | Name of Licence Holder | : Activo Health (Pty) Ltd | | | | | | Version: | 01-032023 |
|---------------------------------------------------|---------------------|--------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------|----------------------------|----------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| o. Activity | Name of Medicine | Dosage Form | Pack size per unit - Quantity or Volume | | Dosage | Registration or Application No. | Sub-Category | Class or Discipline | Route of Administration | Risk | Intended Use | Storage Conditions |
| 8 Imported and Exported | Hapenz Liquid | Liquid | | Each S mI contains the following extracts: Alpinia galanga 40 mg; Trikatu 40 mg; Fonericulum vulgare 30 mg; Embilica officinalis 50 mg; Bacopa monnieri 50 mg; Withhaia sonmfera 50 mg | Children 3-12 years: 5 ml three times daily before meals or as directed by a healthcare provider. Adolescents 12-18 years: 5-10 ml three times daily before meals or as directed by a healthcare provider. Adults: 10 ml three times daily before meals or as directed by a healthcare provider. | | Discipline specific | Ayurveda | Oral | | HAPENZ Syrup assists in restoring or stimulating appetite. HAPPENZ Syrup assists in boosting immunity. | At or below 25 ° C |
| 9 Manufactured (including impor and export) | Trubiotic | Capsule - Hard | | Each capsule contains a total of 12 billion CFU, comprised of: Bifidobacterium longum B8536 4 billion CFU; Lactobacillus cappoblius L.P.41 3 billion CFU; Lactobacillus chamnosus P801 3 billion CFU; Bacillus Claussi 2 billion CFU. | Children: Trubiotic should not be given to children under the age of 12 years, unless under supervision of your doctor Adults and Children over the age of 12 years: During antibiotic treatment: Take two capsules daily (1 in the morning, and 1 in the evening) during antibiotic treatment, followed by one capsule a day for one week after the completion of the autibiotic couse. Capsules should be taken 2 - 3 hours before of after antibiotic intake. Daily Supplement: Take one capsule daily, as a daily supplement to protect and maintain intestinal flora, or as prescribed by a healthcare professional. | | Health Supplement | Probiotics | Oral | | When ingested on a regular basis, probiotics should improve or normalise the microbial balance in the human intestines and thereby improve the functioning of the digestive tract. | At or below 25 ° C |
| Manufactured (including impor and export) | Sentry C | Tablet - Effervescent | 20's | Each effervescent tablet contains Vitamin C (ascorbic acid) 1000 mg. | Adults: Take one effervescent tablet once daily or as recommended by your healthcare provider. Dissolve tablet in a glass of water before use. | | Health Supplement | Vitamins | Oral | Low | A supplement which supports the immune system, reduces tiredness and fatigue, and is an antioxidant that maintains good health. | At or below 25 ° C |
| Manufactured (including impor and export) | Gasgon | Capsule - Soft | | Each Soft Gelatin Capsule contains: Ajowan Oil 10 mg Carraway Oil 10 mg Cardamon Oil 10 mg Coriadero Oil 10 mg Coriadero Oil 10 mg Fennel Oil 10 mg Menthol 5 mg | Adults and children over 12 years: Take one capsule twice daily after a meal, or as recomminded by your doctor. Do not exceed the maximum daily dose of two capsules. | | Discipline specific | Ayurveda | Oral | Low | Used for the temporary relief of gas related probems in the stomach and digestive tract, such as flatulence, bloating and beiching | At or below 25 ° C |
| Manufactured (including impor and export) | kyfilm | Other | | Each Orodispersible film contains: Dried extract from Ivy Leaves (Hedera helix L, folium); (DER 4-8:1, extraction solvent 30 % (m/m) ethanol) 16 mg | Use in Children: hyfilm should not be taken by or given to children under the age of 2 years, as safety and efficacy have not been established. Children 2 - 5 years of age: One film up to two time daily, maximum daily dose 32 mg (two films). Adults and children over 6 years: 1 film up to three times daily, maximum daily dose 48 mg (three films) Do not exceed the recommended daily dose. | | Discipline specific | Western Herbal Medicine | Oral | Low | Used as an expectorant for the relief of productive cough in adults and children over the age of 2 years. | At or below 25 ° C |
| Manufactured (including imporand export) | Sentry D Oral Films | Other | | Each Orodispersible film contains: Vitamin D3 (cholecalciferol) 25 µg (1000 IU); | Adults: Dissolve one film in the mouth once daily . Sentry D should be taken with the main meal of the day. Sentry D is not recommneded for children under 12 years. | | Health Supplement | Vitamins | Oral | Low | Contributes to the maintenance of strong bones and teeth, and the normal functioning of the immune system. | At or below 25 ° C |